

NOTE:

Not all product profiles are available in all geographies. For questions on availability, call Kurt: 888.229.7900



SPECIFIER'S NOTEBOOK

CRAFTSMANSHIP PAYS



REDUCE YOUR DOWNFALL;
NEED 10 STICKS, BUY 10 STICKS

ALWAYS STRAIGHT, TIGHT & TRUE

key:



PROTECTED

WITH A **30_{yr}** LIMITED* WARRANTY
protects against rot, insects & mold

look for the inkstamp on the back:



look for the color key in this notebook:



WindsorONE PROTECTED:

Boards are made of real wood, finger jointed and coated with three coats of acrylic latex primer. All boards are protected with a 30-year warranty against rot, insects & mold. WindsorONE+ Protected Boards can be used for both interior and exterior use. The back of all WindsorONE+ Protected boards contain an ink stamp ("WindsorONE+ Protected") to be easily identified.



TRADITIONAL

look for the inkstamp on the back:



look for the color key in this notebook:



WindsorONE TRADITIONAL:

Boards are made of real wood, finger jointed and coated with three coats of acrylic latex primer. WindsorONE Traditional Boards can be used for both interior and exterior use. The back of all WindsorONE Traditional boards contain an ink stamp ("WindsorONE" or "WindsorONE Traditional") to be easily identified.



CRAFTSMANSHIP PAYS

Show off the detail work on your projects and generate more referrals.



HEALTH STARTS AT HOME

Gold Indoor Air Quality Rating with a 30 yr warranty against rot, insects & mold.



BUILD AMERICA

Manufactured in the U.S.A., craftsmanship from Willits, CA & Surry, VA.

INSTALLATION INSTRUCTIONS

Installation instructions available at the link: WindsorONE.com/install

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com




A Windsor Mill Company



16' & 20' S4SSE: 4/4 & 5/4

WindsorONE TRADITIONAL TRIM BOARD



PROFILE	NOM. SIZE	NET THICK (B)	NET WIDTH (A)	UNIT FTGE	UNIT PCS	UNIT PCS SIZE	UNIT WT.
	1 x 2 x 16	3/4"	1 1/2"	1,109 BM	416	16h x 13w	1,660 lbs
	1 x 3 x 16	3/4"	2 1/2"	1,088 BM	272	16h x 17w	1,740 lbs
	1 x 4 x 16	3/4"	3 1/2"	1,109 BM	208	16h x 13w	1,940 lbs
	1 x 5 x 16	3/4"	4 1/2"	1,067 BM	160	16h x 10w	1,780 lbs
	1 x 6 x 16	3/4"	5 1/2"	1,024 BM	128	16h x 8w	1,800 lbs
	1 x 8 x 16	3/4"	7 1/4"	1,024 BM	96	16h x 6w	1,820 lbs
	1 x 10 x 16	3/4"	9 1/4"	1,067 BM	80	16h x 5w	1,980 lbs
	1 x 12 x 16	3/4"	11 1/4"	1,024 BM	64	16h x 4w	1,900 lbs
	5/4 x 3 x 16	1 1/16"	2 1/2"	1,020 BM	204	12h x 17w	1,840 lbs
	5/4 x 4 x 16	1 1/16"	3 1/2"	1,040 BM	156	12h x 13w	1,940 lbs
	5/4 x 5 x 16	1 1/16"	4 1/2"	1,000 BM	120	12h x 10w	1,960 lbs
	5/4 x 6 x 16	1 1/16"	5 1/2"	960 BM	96	12h x 8w	1,980 lbs
	5/4 x 8 x 16	1 1/16"	7 1/4"	960 BM	72	12h x 6w	1,940 lbs
	5/4 x 10 x 16	1 1/16"	9 1/4"	1,000 BM	60	12h x 5w	1,980 lbs
	5/4 x 12 x 16	1 1/16"	11 1/4"	960 BM	48	12h x 4w	1,920 lbs
	1 x 4 x 20*	3/4"	3 1/2"	1,387 BM	208	16h x 13w	2,425 lbs
	1 x 5 x 20*	3/4"	4 1/2"	1,334 BM	160	16h x 10w	2,225 lbs
	1 x 6 x 20*	3/4"	5 1/2"	1,280 BM	128	16h x 8w	2,250 lbs
	1 x 8 x 20*	3/4"	7 1/4"	1,280 BM	96	16h x 6w	2,275 lbs
	1 x 10 x 20*	3/4"	9 1/4"	1,334 BM	80	16h x 5w	2,475 lbs
	1 x 12 x 20*	3/4"	11 1/4"	1,280 BM	64	16h x 4w	2,375 lbs

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



A Windsor Mill Company


*These items have a minimum 4 week lead time.



16' & 20' S4SSE: 4/4 & 5/4

WindsorONE PROTECTED TRIM BOARD

WITH A **30_{yr}** LIMITED* WARRANTY
protects against rot, insects & mold



PROFILE	NOM. SIZE	NET THICK (B)	NET WIDTH (A)	UNIT FTGE	UNIT PCS	UNIT PCS SIZE	UNIT WT.
	1 x 2 x 16	3/4"	1 1/2"	1,109 BM	416	16h x 13w	1,700 lbs
	1 x 3 x 16	3/4"	2 1/2"	1,088 BM	272	16h x 17w	1,780 lbs
	1 x 4 x 16	3/4"	3 1/2"	1,109 BM	208	16h x 13w	1,980 lbs
	1 x 5 x 16	3/4"	4 1/2"	1,067 BM	160	16h x 10w	1,820 lbs
	1 x 6 x 16	3/4"	5 1/2"	1,024 BM	128	16h x 8w	1,840 lbs
	1 x 8 x 16	3/4"	7 1/4"	1,024 BM	96	16h x 6w	1,860 lbs
	1 x 10 x 16	3/4"	9 1/4"	1,067 BM	80	16h x 5w	2,020 lbs
	1 x 12 x 16	3/4"	11 1/4"	1,024 BM	64	16h x 4w	1,940 lbs
	5/4 x 3 x 16	1 1/16"	2 1/2"	1,020 BM	204	12h x 17w	1,980 lbs
	5/4 x 4 x 16	1 1/16"	3 1/2"	1,040 BM	156	12h x 13w	1,980 lbs
	5/4 x 5 x 16	1 1/16"	4 1/2"	1,000 BM	120	12h x 10w	2,000 lbs
	5/4 x 6 x 16	1 1/16"	5 1/2"	960 BM	96	12h x 8w	2,020 lbs
	5/4 x 8 x 16	1 1/16"	7 1/4"	960 BM	72	12h x 6w	1,980 lbs
	5/4 x 10 x 16	1 1/16"	9 1/4"	1,000 BM	60	12h x 5w	2,020 lbs
	5/4 x 12 x 16	1 1/16"	11 1/4"	960 BM	48	12h x 4w	1,960 lbs
	1 x 4 x 20*	3/4"	3 1/2"	1,387 BM	208	16h x 13w	2,475 lbs
	1 x 5 x 20*	3/4"	4 1/2"	1,334 BM	160	16h x 10w	2,275 lbs
	1 x 6 x 20*	3/4"	5 1/2"	1,280 BM	128	16h x 8w	2,300 lbs
	1 x 8 x 20*	3/4"	7 1/4"	1,280 BM	96	16h x 6w	2,325 lbs
	1 x 10 x 20*	3/4"	9 1/4"	1,334 BM	80	16h x 5w	2,525 lbs
	1 x 12 x 20*	3/4"	11 1/4"	1,280 BM	64	16h x 4w	2,425 lbs

***SEE FULL INSTALLATION INSTRUCTIONS.** WindsorONE+ should be stored, installed, handled & maintained correctly for the best performance. For complete installation guidelines & the WindsorONE+ protected warranty, visit www.WindsorONE.com or call 888.229.7900.

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



A Windsor Mill Company


*These items have a minimum 4 week lead time.



16' S1S2E: 4/4, 5/4 & 8/4

WindsorONE PROTECTED TRIM BOARD

WITH A **30_{yr}** LIMITED* WARRANTY
protects against rot, insects & mold



PROFILE	NOM. SIZE	NET THICK (B)	NET WIDTH (A)	UNIT FTGE	UNIT PCS	UNIT PCS SIZE	UNIT WT.
	1 x 2 x 16	3/4"	1 1/2"	1,109 BM	416	16h x 13w	1,700 lbs
	1 x 3 x 16*	3/4"	2 1/2"	1,088 BM	272	16h x 17w	1,780 lbs
	1 x 4 x 16	3/4"	3 1/2"	1,109 BM	208	16h x 13w	1,980 lbs
	1 x 6 x 16	3/4"	5 1/2"	1,024 BM	128	16h x 8w	1,840 lbs
	1 x 8 x 16	3/4"	7 1/4"	1,024 BM	96	16h x 6w	1,860 lbs
	1 x 10 x 16	3/4"	9 1/4"	1,067 BM	80	16h x 5w	2,020 lbs
	1 x 12 x 16	3/4"	11 1/4"	1,024 BM	64	16h x 4w	1,940 lbs
	5/4 x 3 x 16	1 1/16"	2 1/2"	1,020 BM	204	12h x 17w	1,940 lbs
	5/4 x 4 x 16	1 1/16"	3 1/2"	1,040 BM	156	12h x 13w	1,980 lbs
	5/4 x 6 x 16	1 1/16"	5 1/2"	960 BM	96	12h x 8w	2,020 lbs
	5/4 x 8 x 16	1 1/16"	7 1/4"	960 BM	72	12h x 6w	1,980 lbs
	5/4 x 10 x 16	1 1/16"	9 1/4"	1,000 BM	60	12h x 5w	2,020 lbs
	5/4 x 12 x 16	1 1/16"	11 1/4"	960 BM	48	12h x 4w	1,960 lbs
	8/4 x 2 x 16	1 7/16"	1 7/16"	1,109 BM	208	8h x 26w	1,680 lbs
	8/4 x 4 x 16	1 7/16"	3 1/2"	1,109 BM	104	8h x 13w	1,720 lbs
	8/4 x 6 x 16	1 7/16"	5 1/2"	1,024 BM	64	8h x 8w	1,660 lbs
	8/4 x 8 x 16	1 7/16"	7 1/4"	1,024 BM	48	8h x 6w	1,720 lbs
	8/4 x 10 x 16	1 7/16"	9 1/4"	1,067 BM	40	8h x 5w	1,773 lbs
	8/4 x 12 x 16	1 7/16"	11 1/4"	1,024 BM	32	8h x 4w	1,740 lbs

*SEE FULL INSTALLATION INSTRUCTIONS. WindsorONE+ should be stored, installed, handled & maintained correctly for the best performance. For complete installation guidelines & the WindsorONE+ protected warranty, visit www.WindsorONE.com or call 888.229.7900.

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



A Windsor Mill Company


*This item has a minimum 4 week lead time.



20' S1S2E: 4/4, 5/4 & 8/4

WindsorONE PROTECTED TRIM BOARD

WITH A **30_{yr}** LIMITED* WARRANTY
protects against rot, insects & mold



PROFILE	NOM. SIZE	NET THICK (B)	NET WIDTH (A)	UNIT FTGE	UNIT PCS	UNIT PCS SIZE	UNIT WT.
	1 x 2 x 20	3/4"	1 1/2"	1,387 BM	416	16h x 13w	2,125 lbs
	1 x 3 x 20*	3/4"	2 1/2"	1,360 BM	272	16h x 17w	2,225 lbs
	1 x 4 x 20	3/4"	3 1/2"	1,387 BM	208	16h x 13w	2,475 lbs
	1 x 6 x 20	3/4"	5 1/2"	1,280 BM	128	16h x 8w	2,300 lbs
	1 x 8 x 20	3/4"	7 1/4"	1,280 BM	96	16h x 6w	2,325 lbs
	1 x 10 x 20	3/4"	9 1/4"	1,334 BM	80	16h x 5w	2,525 lbs
	1 x 12 x 20	3/4"	11 1/4"	1,280 BM	64	16h x 4w	2,425 lbs
	5/4 x 3 x 20*	1 1/16"	2 1/2"	1,275 BM	204	12h x 17w	2,450 lbs
	5/4 x 4 x 20*	1 1/16"	3 1/2"	1,300 BM	156	12h x 13w	2,475 lbs
	5/4 x 6 x 20*	1 1/16"	5 1/2"	1,200 BM	96	12h x 8w	2,525 lbs
	5/4 x 8 x 20*	1 1/16"	7 1/4"	1,200 BM	72	12h x 6w	2,475 lbs
	5/4 x 10 x 20*	1 1/16"	9 1/4"	1,250 BM	60	12h x 5w	2,525 lbs
	5/4 x 12 x 20*	1 1/16"	11 1/4"	1,200 BM	48	12h x 4w	2,450 lbs
	8/4 x 2 x 20	1 7/16"	1 7/16"	1,387 BM	208	8h x 26w	2,075 lbs
	8/4 x 4 x 20	1 7/16"	3 1/2"	1,387 BM	104	8h x 13w	2,150 lbs
	8/4 x 6 x 20	1 7/16"	5 1/2"	1,280 BM	64	8h x 8w	2,075 lbs
	8/4 x 8 x 20	1 7/16"	7 1/4"	1,280 BM	48	8h x 6w	2,150 lbs
	8/4 x 10 x 20	1 7/16"	9 1/4"	1,334 BM	40	8h x 5w	2,216 lbs
	8/4 x 12 x 20	1 7/16"	11 1/4"	1,280 BM	32	8h x 4w	2,175 lbs

*SEE FULL INSTALLATION INSTRUCTIONS. WindsorONE+ should be stored, installed, handled & maintained correctly for the best performance. For complete installation guidelines & the WindsorONE+ protected warranty, visit www.WindsorONE.com or call 888.229.7900.

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com




A Windsor Mill Company

*These items have a minimum 4 week lead time.



16' S4SSE: 4/4 & 5/4

WindsorONE TRADITIONAL TRIM BOARD




PROFILE	NOM. SIZE	NET THICK (B)	NET WIDTH (A)	UNIT FTGE	UNIT PCS	UNIT PCS SIZE	UNIT WT.
	1 x 2 x 16	3/4"	1 1/2"	1,109 BM	416	16h x 13w	1,660 lbs
	1 x 3 x 16	3/4"	2 1/2"	1,088 BM	272	16h x 17w	1,740 lbs
	1 x 4 x 16	3/4"	3 1/2"	1,109 BM	208	16h x 13w	1,940 lbs
	1 x 5 x 16	3/4"	4 1/2"	1,067 BM	160	16h x 10w	1,780 lbs
	1 x 6 x 16	3/4"	5 1/2"	1,024 BM	128	16h x 8w	1,800 lbs
	1 x 8 x 16	3/4"	7 1/4"	1,024 BM	96	16h x 6w	1,820 lbs
	1 x 10 x 16	3/4"	9 1/4"	1,067 BM	80	16h x 5w	1,980 lbs
	1 x 12 x 16	3/4"	11 1/4"	1,024 BM	64	16h x 4w	1,900 lbs
	5/4 x 3 x 16	1 1/16"	2 1/2"	1,020 BM	204	12h x 17w	1,840 lbs
	5/4 x 4 x 16	1 1/16"	3 1/2"	1,040 BM	156	12h x 13w	1,940 lbs
	5/4 x 5 x 16	1 1/16"	4 1/2"	1,000 BM	120	12h x 10w	1,960 lbs
	5/4 x 6 x 16	1 1/16"	5 1/2"	960 BM	96	12h x 8w	1,980 lbs
	5/4 x 8 x 16	1 1/16"	7 1/4"	960 BM	72	12h x 6w	1,940 lbs
	5/4 x 10 x 16	1 1/16"	9 1/4"	1,000 BM	60	12h x 5w	1,980 lbs
	5/4 x 12 x 16	1 1/16"	11 1/4"	960 BM	48	12h x 4w	1,920 lbs



16' S4SSE: 4/4 & 5/4

WindsorONE PROTECTED TRIM BOARD

WITH A **30_{yr}** LIMITED* WARRANTY
protects against rot, insects & mold



PROFILE	NOM. SIZE	NET THICK (B)	NET WIDTH (A)	UNIT FTGE	UNIT PCS	UNIT PCS SIZE	UNIT WT.
	1 x 2 x 16	3/4"	1 1/2"	1,109 BM	416	16h x 13w	1,700 lbs
	1 x 3 x 16	3/4"	2 1/2"	1,088 BM	272	16h x 17w	1,780 lbs
	1 x 4 x 16	3/4"	3 1/2"	1,109 BM	208	16h x 13w	1,980 lbs
	1 x 5 x 16	3/4"	4 1/2"	1,067 BM	160	16h x 10w	1,820 lbs
	1 x 6 x 16	3/4"	5 1/2"	1,024 BM	128	16h x 8w	1,840 lbs
	1 x 8 x 16	3/4"	7 1/4"	1,024 BM	96	16h x 6w	1,860 lbs
	1 x 10 x 16	3/4"	9 1/4"	1,067 BM	80	16h x 5w	2,020 lbs
	1 x 12 x 16	3/4"	11 1/4"	1,024 BM	64	16h x 4w	1,940 lbs
	5/4 x 3 x 16	1 1/16"	2 1/2"	1,020 BM	204	12h x 17w	1,980 lbs
	5/4 x 4 x 16	1 1/16"	3 1/2"	1,040 BM	156	12h x 13w	1,980 lbs
	5/4 x 5 x 16	1 1/16"	4 1/2"	1,000 BM	120	12h x 10w	2,000 lbs
	5/4 x 6 x 16	1 1/16"	5 1/2"	960 BM	96	12h x 8w	2,020 lbs
	5/4 x 8 x 16	1 1/16"	7 1/4"	960 BM	72	12h x 6w	1,980 lbs
	5/4 x 10 x 16	1 1/16"	9 1/4"	1,000 BM	60	12h x 5w	2,020 lbs
	5/4 x 12 x 16	1 1/16"	11 1/4"	960 BM	48	12h x 4w	1,960 lbs


***SEE FULL INSTALLATION INSTRUCTIONS.** WindsorONE+ should be stored, installed, handled & maintained correctly for the best performance.
 For complete installation guidelines & the WindsorONE+ protected warranty, visit www.WindsorONE.com or call 888.229.7900.




7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



12' S4SSE: 4/4 & 5/4

WindsorONE TRADITIONAL TRIM BOARD



PROFILE	NOM. SIZE	NET THICK (B)	NET WIDTH (A)	UNIT FTGE	UNIT PCS	UNIT PCS SIZE	UNIT WT.
	1 x 2 x 12	3/4"	1 1/2"	832 BM	416	16h x 13w	1,230 lbs
	1 x 3 x 12	3/4"	2 1/2"	816 BM	272	16h x 17w	1,305 lbs
	1 x 4 x 12	3/4"	3 1/2"	832 BM	208	16h x 13w	1,460 lbs
	1 x 5 x 12	3/4"	4 1/2"	800 BM	160	16h x 10w	1,500 lbs
	1 x 6 x 12	3/4"	5 1/2"	768 BM	128	16h x 8w	1,420 lbs
	1 x 8 x 12	3/4"	7 1/4"	768 BM	96	16h x 6w	1,420 lbs
	1 x 10 x 12	3/4"	9 1/4"	800 BM	80	16h x 5w	1,540 lbs
	1 x 12 x 12	3/4"	11 1/4"	768 BM	64	16h x 4w	1,420 lbs
	5/4 x 4 x 12	1 1/16"	3 1/2"	780 BM	156	12h x 13w	1,500 lbs
	5/4 x 5 x 12	1 1/16"	4 1/2"	750 BM	120	12h x 10w	1,425 lbs
	5/4 x 6 x 12	1 1/16"	5 1/2"	720 BM	96	12h x 8w	1,400 lbs
	5/4 x 8 x 12	1 1/16"	7 1/4"	720 BM	72	12h x 6w	1,420 lbs
	5/4 x 10 x 12	1 1/16"	9 1/4"	750 BM	60	12h x 5w	1,460 lbs
	5/4 x 12 x 12	1 1/16"	11 1/4"	720 BM	48	12h x 4w	1,440 lbs


7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



12' S4SSE: 4/4 & 5/4

WindsorONE PROTECTED TRIM BOARD

WITH A **30_{yr}** LIMITED* WARRANTY
protects against rot, insects & mold



PROFILE	NOM. SIZE	NET THICK (B)	NET WIDTH (A)	UNIT FTGE	UNIT PCS	UNIT PCS SIZE	UNIT WT.
	1 x 2 x 12	3/4"	1 1/2"	832 BM	416	16h x 13w	1,270 lbs
	1 x 3 x 12	3/4"	2 1/2"	816 BM	272	16h x 17w	1,345 lbs
	1 x 4 x 12	3/4"	3 1/2"	832 BM	208	16h x 13w	1,500 lbs
	1 x 5 x 12	3/4"	4 1/2"	800 BM	160	16h x 10w	1,540 lbs
	1 x 6 x 12	3/4"	5 1/2"	768 BM	128	16h x 8w	1,460 lbs
	1 x 8 x 12	3/4"	7 1/4"	768 BM	96	16h x 6w	1,460 lbs
	1 x 10 x 12	3/4"	9 1/4"	800 BM	80	16h x 5w	1,580 lbs
	1 x 12 x 12	3/4"	11 1/4"	768 BM	64	16h x 4w	1,460 lbs
	5/4 x 4 x 12	1 1/16"	3 1/2"	780 BM	156	12h x 13w	1,540 lbs
	5/4 x 5 x 12	1 1/16"	4 1/2"	750 BM	120	12h x 10w	1,465 lbs
	5/4 x 6 x 12	1 1/16"	5 1/2"	720 BM	96	12h x 8w	1,440 lbs
	5/4 x 8 x 12	1 1/16"	7 1/4"	720 BM	72	12h x 6w	1,460 lbs
	5/4 x 10 x 12	1 1/16"	9 1/4"	750 BM	60	12h x 5w	1,500 lbs
	5/4 x 12 x 12	1 1/16"	11 1/4"	720 BM	48	12h x 4w	1,480 lbs


***SEE FULL INSTALLATION INSTRUCTIONS.** WindsorONE+ should be stored, installed, handled & maintained correctly for the best performance.
 For complete installation guidelines & the WindsorONE+ protected warranty, visit www.WindsorONE.com or call 888.229.7900.

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



TONGUE & GROOVE AND SHIP LAP

WindsorONE TRADITIONAL SPECIALTY BOARDS



PROFILE	PATTERN#	NOM. SIZE	NET THICK	NET WIDTH	UNIT FTG	UNIT PCS	UNIT PCS SIZE	UNIT WT.
	SPBC4	5/8 x 4 x 16	5/8"	3 5/16"	1,109 BM	208	16h x 13w	1,420 lbs
	SPBC6	1 x 6 x 16	23/32"	5 1/2"	1,024 BM	128	16h x 8w	1,660 lbs
	SPBC8	1 x 8 x 16	23/32"	7 1/4"	1,024 BM	96	16h x 6w	1,820 lbs
	WOBC6	1 x 6 x 16	3/4"	5 3/8"	1,024 BM	128	16h x 8w	1,700 lbs
	WOTG	1 x 6 x 16	23/32"	5 1/2"	1,024 BM	128	16h x 8w	1,700 lbs
	WORS	1 x 6 x 16*	3/4"	5 1/2"	1,024 BM	128	16h x 8w	1,700 lbs

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



A Windsor Mill Company


*This item has a minimum 4 week lead time.



TONGUE & GROOVE

WindsorONE  PROTECTED SPECIALTY BOARDS

WITH A **30_{yr}** LIMITED* WARRANTY
protects against rot, insects & mold



PROFILE	PATTERN#	NOM. SIZE	NET THICK	NET WIDTH	UNIT FTGE	UNIT PCS	UNIT PCS SIZE	UNIT WT.
	SPBC4	5/8 x 4 x 16	5/8"	3 5/16"	1,109 BM	208	16h x 13w	1,420 lbs
	SPBC6	1 x 6 x 16	23/32"	5 1/2"	1,024 BM	128	16h x 8w	1,660 lbs
	SPBC8	1 x 8 x 16	23/32"	7 1/4"	1,024 BM	96	16h x 6w	1,820 lbs
	WOBC6	1 x 6 x 16	3/4"	5 3/8"	1,024 BM	128	16h x 8w	1,700 lbs
	WOTG	1 x 6 x 16	23/32"	5 1/2"	1,024 BM	128	16h x 8w	1,700 lbs
	WORS	1 x 6 x 16*	3/4"	5 1/2"	1,024 BM	128	16h x 8w	1,700 lbs

*SEE FULL INSTALLATION INSTRUCTIONS. WindsorONE+ should be stored, installed, handled & maintained correctly for the best performance. For complete installation guidelines & the WindsorONE+ protected warranty, visit www.WindsorONE.com or call 888.229.7900.

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com




A Windsor Mill Company



16' & 20' HAWAIIAN TONGUE & GROOVE

WindsorONE  PROTECTED SPECIALTY BOARDS

WITH A **30_{yr}** LIMITED* WARRANTY
protects against rot, insects & mold



PROFILE	PATTERN#	NOM SIZE	LENGTH	NET THICK	NET WIDTH	UNIT FTGE	UNIT PCS	UNIT WT.
	230	1x8	16'	1 1/16"	7 1/2"	1,024 BM	96	1,820 lbs
	230	1x8	20'	1 1/16"	7 1/2"	1,280 BM	96	2,325 lbs

***SEE FULL INSTALLATION INSTRUCTIONS.** WindsorONE+ should be stored, installed, handled & maintained correctly for the best performance.
For complete installation guidelines & the WindsorONE+ protected warranty, visit www.WindsorONE.com or call 888.229.7900.

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



A Windsor Mill Company




20' PLANTATION

HAWAIIAN S1S2E TONGUE & GROOVE

WindsorONE PROTECTED SPECIALTY BOARDS

WITH A **30_{yr}** LIMITED* WARRANTY
protects against rot, insects & mold



PROFILE	PATTERN	NOM SIZE	NET THICK	NET WIDTH	UNIT FTGE	UNIT PCS	UNIT WT.
	plantation	1x6	3/4"	5 1/2"	1,280 BM	128	2,300 lbs

***SEE FULL INSTALLATION INSTRUCTIONS.** *WindsorONE+ should be stored, installed, handled & maintained correctly for the best performance. For complete installation guidelines & the WindsorONE+ protected warranty, visit www.WindsorONE.com or call 888.229.7900.*

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com




A Windsor Mill Company




BEADED CASING

WindsorONE TRADITIONAL SPECIALTY BOARDS


WOC008




WOC007



WOC009



WOC010




PROFILE	DESCRIPTION	PATTERN#	NET THICK	NET WIDTH	LENGTH	UNIT PCS	UNIT FTGE	UNIT WT.
	Single Beaded Casing	WOC007	3/4"	3 1/2"	17'	63	1071 LF	610 lbs
	Single Beaded Casing	WOC008	3/4"	4 1/4"	17'	63	1071 LF	718 lbs
	Single Beaded Casing	WOC009	3/4"	5 1/4"	17'	63	1071 LF	814 lbs
	Double Beaded Casing	WOC010	3/4"	3 1/2"	17'	63	1071 LF	611 lbs

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



CLASSICAL COLONIAL

one of four floor to ceiling styles from
THE WindsorONE CLASSIC AMERICAN MOLDING COLLECTION




PROFILE	DESCRIPTION	PATTERN#	NET THICK	NET WIDTH	LENGTH	UNIT PCS	UNIT FTGE	UNIT WT.
	Chair Rail	WOCH001	1 5/8"	2 1/4"	16'	64	1,024 LF	461 lbs
	Base	WOBM001	1 3/16"	7 1/4"	16'	63	1,008 LF	1,593 lbs
	Casing	WOCS001	3/4"	5 1/2"	17'	63	1,071 LF	793 lbs
	Back Band	WOBB001	7/8"	1 3/4"	17'	64	1,088 LF	256 lbs
	Crown 1	WOCM001	3/4"	3 9/16"	16'	60	960 LF	394 lbs
	Crown 2	WOCM002	3/4"	4 5/16"	16'	63	1,008 LF	454 lbs
	Crown S4SSE	1x6 S4SSE	3/4"	5 1/2"	16'	128	2,048 LF	1,800 lbs
	Crown 3	WOCM003	1 5/8"	4"	16'	63	1,008 LF	837 lbs

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



GREEK REVIVAL

one of four floor to ceiling styles from
THE WindsorONE CLASSIC AMERICAN MOLDING COLLECTION




PROFILE	DESCRIPTION	PATTERN#	NET THICK	NET WIDTH	LENGTH	UNIT PCS	UNIT FTGE	UNIT WT.
	Band Mold	WOBB002	3/4"	3/4"	17'	80	1,360 LF	180 lbs
	Casing/Apron	WOCS007	3/4"	3 1/2"	17'	63	1,071 LF	610 lbs
	1x2 S4SSE	1x2 S4SSE	3/4"	1 1/2"	16'	63	1,008 LF	252 lbs
	Crown	WOCM004	1 1/16"	4"	16'	60	960 LF	413 lbs
	Base	WOBM002	3/4"	5 1/2"	16'	60	960 LF	778 lbs
	Window Stool	WOWS001	1 1/16"	4 1/2"	16'	63	1,008 LF	775 lbs
	Cove	WOCV001	3/4"	7/8"	16'	80	1,280 LF	179 lbs

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



CLASSICAL CRAFTSMAN

one of four floor to ceiling styles from
THE WindsorONE CLASSIC AMERICAN MOLDING COLLECTION




PROFILE	DESCRIPTION	PATTERN#	NET THICK	NET WIDTH	LENGTH	UNIT PCS	UNIT FTGE	UNIT WT.
	Picture Mold	WOPM004	3/4"	1 3/4"	16'	60	960 LF	240 lbs
	Base Shoe	WOBS001	1/2"	3/4"	16'	80	1,280 LF	179 lbs
	Header Cap	WOHC001	1 5/16"	2 1/4"	16'	64	1,024 LF	512 lbs
	Header-Frieze	1x5 S4SSE	3/4"	4 1/2"	16'	160	2,560 LF	1,792 lbs
	Header-Stop	WOST001	7/16"	1 1/16"	16'	80	1,280 LF	218 lbs
	Base Molding	WOBM003	3/4"	7 1/4"	16'	63	1,008 LF	1,109 lbs
	Plinth	WOPB001	1 3/8"	8"			36 per box	30 lbs
	Casing	WOCS003	3/4"	4 1/4"	17'	63	1,071 LF	696 lbs
	Window Stool	WOWS002	1 1/16"	4 1/4"	16'	63	1,008 LF	745 lbs
	Apron	WOCS004	3/4"	3 9/16"	17'	63	1,071 LF	610 lbs
	Cove	WOCV001	3/4"	7/8"	16'	80	1,280 LF	180 lbs
	Crown	WOCM005	3/4"	4 9/16"	16'	60	960 LF	470 lbs

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com



COLONIAL REVIVAL

one of four floor to ceiling styles from
THE WindsorONE CLASSIC AMERICAN MOLDING COLLECTION



PROFILE	DESCRIPTION	PATTERN#	NET THICK	NET WIDTH	LENGTH	UNIT PCS	UNIT FTGE	UNIT WT.
	Picture Mold	WOPM004	3/4"	1 3/4"	16'	60	960 LF	240 lbs
	Stop	WOST004	1/2"	1 7/8"	16'	60	960 LF	221 lbs
	Base Shoe	WOBS001	1/2"	3/4"	16'	80	1,280 LF	179 lbs
	Base	WOBM004	3/4"	7 1/4"	16'	63	1,008 LF	1,048 lbs
	Casing	WOCS005	1 3/16"	4 3/8"	17'	60	1,020 LF	704 lbs
	Window Stool	WOWS001	1 1/16"	4 1/2"	16'	63	1,008 LF	775 lbs
	Apron	WOCS006	3/4"	3 9/16"	17'	64	1,088 LF	446 lbs
	Crown	WOCM006	3/4"	4 9/16"	16'	64	1,024 LF	481 lbs


7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com




WAINSCOT CAPS & PANEL MOLD

rounding out trim & specialty boards, as well as
THE WindsorONE CLASSIC AMERICAN MOLDING COLLECTION


WAINSCOT CAP
(WOWC002)




WAINSCOT CAP
(WOWC003)



WAINSCOT CAP
(WOWC006)



FEDERAL PANEL MOLD



PROFILE	DESCRIPTION	PATTERN#	NET THICK	NET WIDTH	LENGTH	UNIT PCS	UNIT FTGE	UNIT WT.
	Wainscot Cap	WOWC002	1 1/8"	3"	16'	64	1,024 LF	451 lbs
	Wainscot Cap	WOWC003	1 3/8"	1 3/4"	16'	60	960 LF	394 lbs
	Wainscot Cap	WOWC006	1 5/8"	2 5/8"	16'	60	960 LF	369 lbs
	Panel Mold	WOSP001	7/8"	1 1/4"	16'	60	960 LF	134 lbs

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com




EXTERIOR MOLDINGS


WindsorONE  PROTECTED MOLDING

WITH A **30_{yr}** LIMITED* WARRANTY
protects against rot, insects & mold


REVERSIBLE SILL




WATERTABLE (W1-634)




STUCCO MOLD




BRICK MOLD




BRICK MOLD
W/ KEY



SHINGLE MOLD



WATERTABLE (W1-630)



PROFILE	DESCRIPTION	PATTERN#	NET THICK	NET WIDTH	LENGTH	UNIT PCS	UNIT FTGE	UNIT WT.
	Stucco Mold	W1-618	13/16"	1 1/2"	17'	360	6,120 LF	765 lbs
	Brick w/ Key	W1-381K	1 1/4"	2"	17'	264	4,488 LF	2,100 lbs
	Brick Mold	W1-381	1 1/4"	2"	17'	264	4,488 LF	2,100 lbs
	Shingle Mold	W1-516	1 1/16"	1 5/8"	16'	432	6,912 LF	1,720 lbs
	Reversible Sill	W1-640	1 3/8"	7 1/4"	16'	72	1,152 LF	2,304 lbs
	Watertable	W1-630	1 7/16"	2 1/8"	16'	126	1,008 LF	1,680 lbs
	Watertable	W1-634	1 7/16"	3 1/4"	16'	96	1,024 LF	1,940 lbs

7950 Redwood Dr. #4, Cotati, CA 94931 | ph: 888.229.7900 | fax: 707.665.9698 | www.WindsorONE.com

 A Windsor Mill Company

◆PROTECTED TRIM BOARDS

◆S1S2E

(w = west coast product)

*reversible rough sawn on one side,
smooth on others with eased edges*

nominal sizes | 16' 20'

	1x2	w	w
	1x3	w	w
	1x4	w	w
	1x6	w	w
	1x8	w	w
	1x10	w	w
	1x12	w	w
	5/4 x3	w	w
	5/4 x4	w	w
	5/4 x6	w	w
	5/4 x8	w	w
	5/4 x10	w	w
	5/4 x12	w	w
	8/4 x2	w	w
	8/4 x4	w	w
	8/4 x6	w	w
	8/4 x8	w	w
	8/4 x10	w	w
	8/4 x12	w	w

◆S4SSE

smooth surface four sides

nominal sizes | 12' 16' 20'

	1x2	e	.
	1x3	e	.
	1x4	e	.
	1x5	e	.
	1x6	e	.
	1x8	e	.
	1x10	e	.
	1x12	e	.
	5/4 x3	.	.
	5/4 x4	e	.
	5/4 x5	e	.
	5/4 x6	e	.
	5/4 x8	e	.
	5/4 x10	e	.
	5/4 x12	e	.

◆PROTECTED SPECIALTY BOARDS

◆TONGUE & GROOVE & SHIPLAP

	SPBC4	5/8" x 3 5/16"
	SPBC6	2 3/32" x 5 1/2"
	SPBC8	2 3/32" x 7 1/4"
	WOBC6	3/4" x 5 3/8"
	WOTG	2 3/32" x 5 3/8"
	WORS	3/4" x 5 1/2"
	230	3/4" x 7 1/2"
	plantation	3/4" x 5 1/2"

◆PROTECTED EXT. MOLDINGS (w = west coast product)



	W1-618	1 3/16" x 1 1/2"
	W1-381K	1 1/4" x 2"
	W1-381	1 1/4" x 2"
	W1-516	1 1/16" x 1 5/8"
	W1-640	1 3/8" x 7/4"
	W1-630	1 7/16" x 2 1/8"
	W1-634	1 7/16" x 3 1/4"

◆TRADITIONAL TRIM BOARDS

◆S4SSE


smooth surface four sides

nominal sizes | 12' 16' 20'

	1x2	e	.
	1x3	e	.
	1x4	e	.
	1x5	e	.
	1x6	e	.
	1x8	e	.
	1x10	e	.
	1x12	e	.
	5/4 x3	.	.
	5/4 x4	e	.
	5/4 x5	e	.
	5/4 x6	e	.
	5/4 x8	e	.
	5/4 x10	e	.
	5/4 x12	e	.

◆TRADITIONAL SPECIALTY BOARDS

◆TONGUE & GROOVE & SHIPLAP

	SPBC4	5/8" x 3 5/16"
	SPBC6	2 3/32" x 5 1/2"
	SPBC8	2 3/32" x 7 1/4"
	WOBC6	3/4" x 5 3/8"
	WOTG	2 3/32" x 5 3/8"
	WORS	3/4" x 5 1/2"

◆BEADED CASING

	WOCS007	3/4" x 3 1/2"
	WOCS008	3/4" x 4 1/4"
	WOCS009	3/4" x 5 1/4"
	WOCS010	3/4" x 3 1/2"

◆TRADITIONAL MOLDINGS

◆CAPS

	WOHC001	1 5/16" x 2 1/4"
	WOWC002	1 1/8" x 3"
	WOWC003	1 3/8" x 1 3/4"
	WOWC006	1 5/8" x 2 3/8"

◆DETAIL

	WOSP001	7/8" x 1 1/4"
	WOPM004	3/4" x 1 3/4"
	WOST001	7/16" x 1 1/16"
	WOST004	1/2" x 1 7/8"
	WOCV001	3/4" x 7/8"
	WOBS001	1/2" x 3/4"
	WOBB001	7/8" x 1 3/4"
	WOBB002	3/4" x 3/4"

◆BASES

	WOBM001	1 3/16" x 7 1/4"
	WOBM002	3/4" x 5 1/2"
	WOBM003	3/4" x 7 1/4"
	WOBM004	3/4" x 7 1/4"
	WOPB001	1 3/8" x 8"

◆TRADITIONAL MOLDINGS

◆CROWNS

	WOCM001	3/4" x 3 5/16"
	WOCM004	1 1/16" x 4"
	WOCM005	3/4" x 4 5/16"
	WOCM006	3/4" x 4 5/16"

◆APRONS

	WOCS004	3/4" x 3 5/16"
	WOCS006	3/4" x 3 5/16"
	WOCS007	3/4" x 3 1/2"

◆STOOLS

	WOWS001	1 1/16" x 4 1/2"
	WOWS002	1 1/16" x 4 1/4"

◆CASINGS

	WOCS001	3/4" x 5 1/2"
	WOCS003	3/4" x 4 1/4"
	WOCS005	1 3/16" x 4 3/8"
	WOCS007	3/4" x 3 1/2"


◆SPECIALTY

	WOCH001	1 5/8" x 2 1/4"
	WOCM002	3/4" x 4 5/16"
	WOCM003	1 5/8" x 4"


◆COLLECTIONS & BUILDUPS



CLASSICAL
COLONIAL



GREEK
REVIVAL



CLASSICAL
CRAFTSMAN



COLONIAL
REVIVAL

*WARRANTY BASED ON PROPER INSTALLATION

see www.WindsorONE.com/install
for more information & FULL
installation instructions.

NEED ANY SAMPLES?

Trim Boards? Specialty Boards?
Moldings? Need a shirt? Call
Kurt, he'll hook you up with
whatever you need.

HAVE ANY QUESTIONS?

Looking for installation advice?
Product specs? Dealer locations?

CALL KURT:
888.229.7900



Key: ◆ - + PROTECTED w/ 30yr warranty* ◇ - Traditional e - available on East Coast e - available on West Coast

WindsorONE+ manufactured by Windsor Surry Company, an affiliate of Windsor Mill | Manufactured in the U.S.A. ©2013 WindsorONE